

Spanner Jaw Sizes and corresponding Nut/Bolt Use							
Jaw Size Millimetres	Diff (mm)	Jaw Size (mm)	Spanner Metric	Spanner AF	Spanner British	Common Nut/Bolt (*non-preferred)	Notes
2.97		0.117			10BA		
3.2	0.23	0.126	3.2mm			M1.6	
3.33	0.13	0.131			9BA		
3.86	0.53	0.152			8BA		
3.97	0.11	0.156		5/32 AF		No.0 UNC	
4	0.03	0.157	4mm			M2	
4.37	0.37	0.172			7BA		
4.76	0.39	0.188		3/16 AF		No.2 UNC	
4.9	0.14	0.193			6BA		
5	0.1	0.197	5mm			M2.5	
5.5	0.5	0.217	5.5mm			M3	
5.56	0.06	0.219		7/32 AF			
5.59	0.03	0.22			5BA		
5.95	0.37	0.234		15/64 AF			
6	0.05	0.236	6mm			M3.5*	
6.3	0.3	0.248			4BA		
6.35	0.05	0.25		1/4 AF		No.4 UNC	
7	0.65	0.276	7mm			M4	
7.14	0.14	0.281		9/32 AF			
7.16	0.02	0.282			3BA		
7.94	0.77	0.313		5/16 AF		No.6 UNC	
8	0.06	0.315	8mm			M5	
8.23	0.23	0.324			2BA		
8.59	0.36	0.338			1/8 W; 3/16 BSF		
8.73	0.15	0.344		11/32 AF		No.8 UNC	
9	0.27	0.354	9mm				
9.27	0.27	0.365			1BA		
9.53	0.25	0.375		3/8 AF		No.10 UNC (nut)	
10	0.48	0.394	10mm			M6	

Spanner Sizes

10.49	0.49	0.413			0BA		
11	0.51	0.433	11mm			M7*	
11.11	0.11	0.438		7/16 AF		1/4 UNF	
11.3	0.19	0.445			3/16 W; 1/4 BSF		
12	0.7	0.472	12mm				
12.7	0.7	0.5		1/2 AF		5/16 UNF	
13	0.3	0.512	13mm			M8	
13.34	0.33	0.525			1/4 W; 5/16 BSF		
14	0.67	0.551	14mm				
14.29	0.29	0.563		9/16 AF		3/8 UNF	
15	0.71	0.591	15mm				
15.24	0.24	0.6			5/16 W; 3/8 BSF		
15.88	0.64	0.625		5/8 AF		7/16 UNF (bolt)	
16	0.13	0.63	16mm				
17	1	0.669	17mm			M10	
17.46	0.46	0.688		11/16 AF		7/16 UNF (nut)	
18	0.54	0.709	18mm				
18.03	0.03	0.71			3/8 W; 7/16 BSF		
19	0.97	0.748	19mm			M12	
19.05	0.05	0.75		3/4 AF		1/2 UNF	
and corresponding Nut/Bolt Use							
20	0.95	0.787	20mm				
20.64	0.64	0.813		13/16 AF		9/16 UNF (bolt)	
20.83	0.19	0.82			7/16 W; 1/2 BSF		
21	0.17	0.827	21mm				
22	1	0.866	22mm			M14*	
22.23	0.22	0.875		7/8 AF		9/16 UNF (nut)	
23	0.78	0.906	23mm				

Spanner Sizes

23.37	0.37	0.92			1/2 W; 9/16 BSF		
23.81	0.44	0.938		15/16 AF		5/8 UNF	
24	0.19	0.945	24mm			M16	
25	1	0.984	25mm				
25.4	0.4	1		1 AF			
25.65	0.25	1.01			9/16 W; 5/8 BSF		
26	0.35	1.024	26mm				
26.99	0.99	1.063		1-1/16 AF			
27	0.01	1.063	27mm			M18*	
27.94	0.94	1.1			5/8 W; 11/16 BSF		
28	0.06	1.102	28mm				
28.58	0.57	1.125		1-1/8 AF		3/4 UNF	
30	1.43	1.181	30mm			M20	Mini A+ Flywheel Bolt
30.48	0.48	1.2			11/16 W; 3/4 BSF		
31.75	1.27	1.25		1-1/4 AF			
32	0.25	1.26	32mm			M22*	
33.02	1.02	1.3			3/4 W; 7/8 BSF		Crankshaft pulley and camshaft nut socket, CV joint nut pre metric thread and subframe single tower mounting bolt on post 76 cars. Also fits pre 1997 steering wheel nut
33.34	0.32	1.313		1-5/16 AF		7/8 UNF	Crankshaft pulley and camshaft nut socket, CV joint nut pre metric thread and subframe single tower mounting bolt on post 76 cars. Also fits pre 1997 steering wheel nut
34	0.66	1.339	34mm				Crankshaft pulley and camshaft nut socket, CV joint nut pre metric thread and subframe single tower mounting bolt on post 76 cars. Also fits pre 1997 steering wheel nut
35.31	1.31	1.39			13/16 W?		
36	0.69	1.417	36mm			M24	
36.51	0.51	1.438		1-7/16 AF			

Spanner Sizes

37.59	1.08	1.48			7/8 W; 1 BSF		
38	0.41	1.496	38mm				
38.1	0.1	1.5		1-1/2 AF		1 UNF	Swivel pin retaining nuts on your hubs, mainshaft/pinion nut in the gearbox and pre A Plus flywheel bolt
40.13	2.03	1.58			15/16 W?		
41	0.87	1.614	41mm			M27*	
41.28	0.27	1.625		1-5/8 AF			
42.42	1.14	1.67			1 W; 1-1/8 BSF		
42.86	0.44	1.688		1-11/16 AF		1-1/8 UNF	
46	3.14	1.811	46mm			M30	
46.04	0.04	1.813		1-13/16 AF			
47.24	1.21	1.86			1-1/8 W; 1-1/4 BSF		
47.63	0.38	1.875		1-7/8 AF		1-1/4 UNF	
50	2.38	1.969	50mm			M33*	
50.8	0.8	2		2 AF			
52.07	1.27	2.05			1-1/4 W; 1-3/8 BSF		
52.39	0.32	2.063		2-1/16 AF		1-3/8 UNF	
55	2.61	2.165	55mm			M36	
55.56	0.56	2.188		2-3/16 AF			
56.39	0.83	2.22			1-3/8 W; 1-1/2 BSF		
57.15	0.76	2.25		2-1/4 AF		1-1/2 UNF	
60	2.85	2.362	60mm			M39*	